


Incubator Chamber for NanoScanZ 250 and 500

Solutions for Live Cell Imaging - Well plate incubation.



The Incubator has been designed to seamlessly integrate into the NanoScanZ 250 and 500 product range, replacing the sample holder.

Key Features

- Anti-Z Drift Design
- CLEAR Vision Prevents Condensation
- pH and Temperature Control from Ambient to 50° C
- Rapid Temperature Stabilisation
- Long Term Stable Conditions
- Includes Objective Heater

Long Term Stability

This chamber provides a perfectly stable and optimised environment in which to maintain cells during the course of long term time lapse experiments. It does not compromise the performance of the stage in any way at all.

CLEAR Vision

The system consists of a heated chamber within which the sample is placed. This is covered with an optically clear glass cover that is heated to prevent the build up of condensation and finally there is an objective heater to ensure stable temperatures at the region of interest.

Advanced Controllers

There are a range of controllers available to control both the temperature and also the CO₂ concentration. These can work with pre-mixed as well as 100% CO₂.

Anti-Z Drift

The chamber has been engineered to incorporate an anti Z-axis drift mechanism ensuring that thermal drift during long term experiments is eliminated.

Part Number	Description
W3718	Incubator with heating only, objective heater, stage heater for 35mm dish holder.
W3719	Incubator with premix gas control, objective heater, stage heater for 35mm dish holder.
W3720	Incubator with digital gas mixing, objective heater, stage heater for 35mm dish holder. For 240V. (EU)

Sample Holders for Microtitre plates

W3721	Stage heater for microtitre plate for 6 well plate.
W3722	Stage heater for microtitre plate for 12 well plate.
W3723	Stage heater for microtitre plate for 24 well plate.

Sample Holders

W3724	For 35mm dish (included with incubator system as standard).
W3725	For 50/60mm dish.
W3726	For chamber slide.
W3727	For cover glass chamber.
W3728	For slide glass.

Prior Scientific Inc.
Rockland, MA, USA.
T. +1 781-878-8442
E. info@prior.com

Prior Scientific Limited
Cambridge, UK.
T. +44 (0) 1223 881711
E. uksales@prior.com

Prior Scientific GmbH
Jena, Germany.
T +49 (0)3641 675 650
E. jena@prior.com



CERTIFICATE NO: FM 61600
STANDARD: BS EN ISO 9001:2000

Specifications are subject to change without notice.

VISIT PRIOR ON THE WEB AT **WWW.PRIOR.COM**